GeoBasis-DE

Geodaten der deutschen Landesvermessung

Bundesamt für Kartographie und Geodäsie

Documentation

Administrative Areas 1: 250 000 VG250 and VG250-EW



valid from the product as of 31.12.2022

Administrative Areas 1: 250 000

VG250 and VG250-EW

Contents

| 1 | Overvie | ew of the dataset | 3 |
|---|------------|--|----|
| 2 | Genera | l information | 5 |
| | 2.1 Terr | itorial code | 6 |
| | 2.1.1 | Key number of the administrative association | 6 |
| | 2.2 Office | cial municipality key | 6 |
| | 2.3 Spe | cifics in the administrative structure | 6 |
| | 2.3.1 | Unincorporated areas in Schleswig-Holstein | 6 |
| | 2.3.2 | Inter-district association of administrations (Schleswig-Holstein) | 7 |
| | 2.3.3 | Unincorporated areas in Bayern (Bavaria) | 7 |
| | 2.3.4 | Former Regierungsbezirke (administrative districts) | 7 |
| | 2.3.5 | Common German-Luxembourgish territory | 7 |
| | 2.4 Und | letermined boundary sections | 7 |
| | 2.5 Con | nmunalized waters | 7 |
| 3 | Descrip | tion of the dataset | 8 |
| | 3.1 Spe | cification | 8 |
| | 3.2 Attri | butes | 9 |
| | 3.2.1 | General Object Attributes | 9 |
| | 3.2.2 | Lines | 9 |
| | 3.2.3 | Areas | 11 |
| | 3.2.4 | Points | 14 |
| | 3.2.5 | Tables | 15 |
| | 3.2.6 | Table Administrative assignment (VGTB_VZ_GEM) | 16 |
| 4 | Descrip | tion of the data formats | 17 |
| | 4.1 SHA | APE format | 17 |
| | 4.1.1 | Overview of the SHAPE data | 17 |
| | 4.1.1 | File structure of the SHAPE format | 17 |
| | 4.2 Geo | package format | 18 |
| | 4.2.1 | Geopackage data overview | 18 |
| | 4.2.2 | Overview of the views in the geopackage | 19 |
| | 4.3 Exc | el format | 20 |
| | 4.3.1 | Excel workbook overview | 20 |
| 5 | Annexe | s | 20 |
| 6 | Data ac | quisition | 21 |
| 7 | Terms o | of use | 21 |
| 8 | Copyrig | yht | 21 |
| 9 | Contact | • | 21 |

1 Overview of the dataset

| Product: | VG250 and VG250-EW |
|--------------------|---|
| Content: | The dataset includes the administrative units of the hierarchical administrative levels from the country (state) down to the "Gemeinden" (municipalities) with: administrative boundaries, key-numbers, names as well as designations. The data are structured according to levels (country/state, Länder (federal states), Regierungsbezirke (administrative districts), Kreise (districts/counties), Verwaltungsgemeinschaften (administrative associations), Gemeinden (municipalities). In addition, the dataset includes: official additional designations names of national minorities or names in regional languages overview of administrative assignment overview of the administrative units. The borders are also included as line geometry. For each "Gemeinde" (municipality) a point object is additionally included in the dataset. The product VG250-EW additionally contains population numbers and the cadastral area. The lines are of the type "SingleLine". The areas are of the type "MultiPolygone" (also "Multipart"). Each area can comprise several single areas, such as regular area with exclaves or inset areas, each of these MultiPolygones corresponding to a dataset in the attribute table. |
| Area: | Bundesrepublik Deutschland (Federal Republic of Germany) |
| Spatial structure: | Complete data set without spatial breakdown |
| Spatial reference: | Geographic coordinates in decimal degrees, Ellipsoid GRS80, Datum ETRS89 Gauß-Krüger projection in the 3rd, 4th or 5th meridional strip Bessel Ellipsoid, Potsdam Datum, (central point Rauenberg) UTM projection in zone 32 or 33 Ellipsoid GRS80, Datum ETRS89 |

| Position accuracy: | The geometry of the boundaries is with respect to accuracy and resolution designed to the DLM250 (Digital Landscape Model 250). There is a gradual adjustment of the boundary courses to boundary-forming topographical objects of the DLM250. The geometry of these points is taken from the built-up sitepoints (Ortslagen) of the DLM250 (Digital Landscape Model 250). | | |
|------------------------------------|---|--|--|
| Currentness: | 1-year revision cycle with the statuses 31.12. and 01.01. of each year As of 31st December is it possible to georeference the German federal statistics. The status 01.01. is a working status, which includes the changes as of 1st January. In addition, the status of 31.12. appears, enriched with the population figures and the cadastral areas. | | |
| Data formats: | ShapeGeopackageExcel-Table | | |
| Data supply*: | Dataset via Download or Disk Web Map Service (WMS) Web Feature Service (WFS) | | |
| Modification against last Dataset: | none | | |
| Historical data: | available from 1997 | | |
| Data volume: | SHAPE: 109 MB Geopackage: 111 MB Excel-Table: 4 MB | | |
| Data source: | Municipal directories and originals of acquisition on the basis of the Land Offices of Statistics, the Federal Statistical Office as well as the Land Survey Offices | | |

^{*} Please note that not all forms of delivery can be provided with each georeferencing and data format. If you have any questions, feel free contact the Service Centre (DLZ).

2 General information

The dataset includes the administrative units of the Federal Republic of Germany from the national down to the municipal level.

With the exception of the administrative district level, the administrative levels have been created on a nationwide basis. To this end, the independent cities have additionally been adopted into the municipality and administrative association level, and likewise the non-associated municipalities into the administrative association level. By means of the IBZ attribute included in the data product it is possible to make a distinction between these levels (see **Annex B** for a list of the IBZ values). On the national and Land levels also the area of the respective territorial sea (12 nautical-mile-zone) is included.

The boundaries are also available as line geometry. For each municipality is also included a point object in the dataset.

Delimitation of boundaries in Lake Constance is of a technical nature (see Annex C.1.2).

The hierarchical structure of the administrative levels is represented by the Amtliche Regionalschlüssel (ARS) (territorial code). In addition, the Amtliche Gemeindeschlüssel (AGS) (Official Municipality Key) is kept with the data, which is derived from the ARS through omission of the administrative association.

ARS and AGS constitute the keys of the products of the statistical offices of the Federal Government and of the Länder. Thus, the integration of statistical data and data synchronization, respectively, can easily be performed (cf. also http://www.destatis.de).

The complex administrative structure is shown country-specifically in the PDF file Verwaltungsgliederung VG.pdf dargestellt (see Annex).

The lines of the boundaries are of the geometry type "SingleLine".

The areas are of the type "MultiPolygone" (also "Multipart"). Each area can comprise several single areas, such as regular area with exclaves or inset areas, each of these MultiPolygones corresponding to a dataset in the attribute table.

Each administrative unit has precisely one record entry with the GF value 4. In addition, an administrative unit may have a record entry with further GF values. For more information, see **item 3.2.3** for the attribute GF.

The data record usually appears with the status 31.12. and 01.01. of each year. As of 31st December is it possible to georeference the German federal statistics. The German federal statistics are as of 31st December of each year. The status 01.01. is a working status, which includes the changes as of 1st January. In addition, the status of 31.12. appears, enriched with the population figures and the cadastral areas.

The appendices mentioned in this document with further information can be found in the file annex vg.pdf (see Annex).

2.1 Territorial code

The territorial code (TC/ARS) is broken down as follows:

1st - 2nd digit = identification number of the Land

3rd digit = identification number of the administrative district

 $4^{th} - 5^{th}$ digit = identification number of the district (county)

6th - 9th digit = identification number of the administrative association

10th – 12th digit = community identification number

2.1.1 Key number of the administrative association

The leading digit of the administrative association key indicates the type of the community:

0 = municipality not adhering to an administrative association

5 = municipality adhering to an administrative association

9 = unincorporated area

With municipalities not adhering to an administrative association and unincorporated areas the leading digit (0 or 9) in the administrative association key is followed by the three-digit municipality key as the 7th, 8th and 9th digit in the territorial code. This way, the level of the administrative associations is represented on a nationwide basis.

2.2 Official municipality key

The official municipality key is analogously to the territorial code subdivided as follows:

1st - 2nd digit = identification number of the Land

3rd digit = identification number of the administrative district

 $4^{th} - 5^{th}$ digit = identification number of the district (county)

6th - 8th digit = community identification number

Through omission of the administrative association key the official municipality key can be formed from the territorial code. In the converse case knowledge of the key number of the administrative association is absolutely necessary.

2.3 Specifics in the administrative structure

Specifics in the administrative structure result in the following exceptions.

2.3.1 Unincorporated areas in Schleswig-Holstein

The two unincorporated areas located in Schleswig-Holstein belong to an association of administrations (Amt/supra-municipality). Given that this aspect cannot be implemented as a key number, these two unincorporated areas are treated as not belonging to a collectivity.

| ARS (TC) | Unincorporated area | ARS (TC) | Amt (supra- municipality) | Kreis (district) |
|--------------|-----------------------------|-----------|------------------------------|---------------------|
| 010539105105 | Sachsenwald (Forstgutsbez.) | 010535323 | Hohe Elbgeest | Herzogtum Lauenburg |
| 010609014014 | Buchholz (Forstgutsbez.) | 010605053 | Leezen | Segeberg |

2.3.2 Inter-district association of administrations (Schleswig-Holstein)

The municipalities Bosau and Tangstedt (Kreis Stormarn) in Schleswig-Holstein are members of an administrative community (Amt) in a neighbouring district. Given that this aspect cannot be implemented as a key number, these two municipalities are treated as communes not belonging to a collectivity.

| ARS (TC) | Municipality | Kreis (district) | ARS (TC) | Amt (supra- municipality) | Kreis (district) |
|--------------|--------------|---------------------|-----------|------------------------------|------------------|
| 010550007007 | Bosau | Ostholstein | 010575739 | Großer Plöner See | Plön |
| 010620076076 | Tangstedt | Stormarn | 010605034 | Itzstedt | Segeberg |

2.3.3 Unincorporated areas in Bayern (Bavaria)

In the past, the unregistered areas in Bavaria were also summarized in statistical lists, as a rule by districts. In this case the respective municipality key in the ARS (TC) and the AGS (OMK) figure was disclosed each with 444 at the end. In the described VG (AB) product the Bavarian unincorporated areas are shown individually.

2.3.4 Former Regierungsbezirke (administrative districts)

In Niedersachsen, Rheinland-Pfalz and Sachsen the 3rd digit of the ARS (TC) and the AGS (OMK) (administrative district), respectively, serves only to clearly identify the district level. In these Länder (states) administratively there are no more administrative districts existant. The attribute FK_S3 characterizes these cases by the value K.

2.3.5 Common German-Luxembourgish territory

For reasons of generalization the common territory is not available in the dataset. This concerns the German-Luxembourgish boundary line in the rivers Our, Sauer and Moselle. Within the area of the Luxembourgish city of Vianden the otherwise jointly managed territory is interrupted. A list of the parts of the joint territory is given in **Annex D**.

2.4 Undetermined boundary sections

Not mutually agreed sections of national and state (Länder) boundary sections are labelled at the line geometry by the attribute value RDG 2 (legally not defined boundary). The relevant boundary sections constitute a technical delimitation and are illustrated in **Annex C**.

2.5 Communalized waters

Administrative units whose territory also extends over the North Sea or the Baltic Sea or Lake Constance are separated along the coast. A distinction between the two parts of the management units concerned is possible via the attribute GF (geofactor). The partial area on the waters referred to above has the GF value 2. On the other hand, the land areas have the GF value 4. (Description GF see **item 3.2.3**)

Administrative Areas 1: 250 000

VG250 and VG250-EW

3 Description of the dataset

3.1 Specification

The dataset is divided into the different administrative levels of Germany:

| Staat (country) | VG250_STA |
|---|-----------|
| Länder (states) | VG250_LAN |
| Administrative districts | VG250_RBZ |
| Districts | VG250_KRS |
| Administrative associations | VG250_VWG |
| Municipalities | VG250 GEM |

Each of these levels forms an object class containing the area geometry of the administrative units. Except for the administrative district level, all other levels constitute in each case a nationwide dataset, in which the areas contained directly carry the attributive information.

Also, in the dataset are comprised:

Boundary lines
 VG250_LI

In each case the respective highest level is included.

In addition, each municipality has a point, representing the heart of the municipality.

PointsVG250_PK

More information is contained in additional tables:

| Overview of the administrative units | VGTB_ATT_VG |
|--|--------------|
| regional language names of the administrative units | VGTB_RGS_VG |
| regional language names of municipality points | VGTB_RGS_OTL |
| Official additional designations of the municipalities | VGTB_AZB_VG |
| Administrative assignment | VGTB_VZ_GEM |
| | |

The tables are linked to the respective geometry via the ARS attribute.

The regional language names also include the names of the minorities.

A simple overview of the data model with the attributes and the values is contained in the following 3 tables:

| Attributes and their meaning | VG_DATEN |
|--|----------|
| Designations of the administrative units and IBZ | VG_IBZ |
| Values of the attributes and their meaning | VG_WERTE |

3.2 Attributes

3.2.1 General Object Attributes

The general object attributes are based on the AFIS-ALKIS-ATKIS basic schema of the AdV (Working Committee of the Surveying Authorities of the Laender of the Federal Republic of Germany). The basic traits are defined in the main document of the GeoInfoDok (documentation for modeling the geoinformation of the official surveying system) of the AdV.

OBJID unique object identifier

BEGINN beginning of lifetime interval

Date at which this object was inserted or changed in the data set.

3.2.2 Lines

AGZ Type of boundary

Survey of values

- 1 = National border
- 2 = Federal State boundary
- 3 = Boundary of an administrative district
- 4 = Boundary of a Kreis (district/county)
- 5 = Boundary of an administrative association
- 6 = Boundary of a municipality
- 9 = Coastline

In each case the respective highest level is meant of the administrative unit limited by the boundary section.

This means: For example for the illustration of all district boundaries all higher boundaries are needed as well. (AGZ values 1, 2, 3 and 4)

The coast line (value 9) comprises the separation of land and water areas within an administrative unit and has no meaning as a dividing line between different administrative units, nor with regard to the foreign shores of Lake Constance and the non-German national border running through this lake. For the values 5 and 6 see also the GM5 attribute.

RDG Legal definition of the boundary section

Survey of values

1 = defined

2 = not defined

9 = coast line

For the purpose of this attribute "defined" means that the relevant boundary section has been precisely defined in a legal act, or taken from a representation serving cartographic needs.

GM5 Boundary feature of the AGZ 5

Survey of values

8 = boundary not limiting an association

0 = boundary feature according to AGZ

The attribute GM5 describes the function of the boundaries of administrative associations (AGZ 5). All boundary sections with the value 8 exclusively limit municipalities not adhering to an association.

GMK Coast/sea boundary feature

Survey of values

7 = at sea (unusual representation)

8 = in addition at sea (usual representation)

9 = on coast

0 = without any particular feature

The attribute GMK describes the function of the boundary geometry on the coast or on the sea. The value 9 denotes the boundaries which in the dataset run on the on the coast of North Sea, Baltic Sea and Lake Constance.

With the value 8, additional boundary lines in the North Sea, Baltic Sea and Lake Constance are shown in the data set, which have been officially established and whose graphic representation is common. The remaining boundary lines on the waters, the graphical representation is not common are marked with the value 7.

DLM_ID DLM object identifier

Object identifierr of the DLM250

3.2.3 Areas

ADE Administrative level

Survey of values

- 1 = Country
- 2 = State
- 3 = Administrative district
- 4 = District
- 5 = Administrative association
- 6 = Municipality

GF Geofactor

Survey of values

- 1 = Waters without structures
- 2 = Waters with structures
- 3 = Land without structure
- 4 = Land with structure

The areas for which below the Land (state) level there exist no further levels are assigned the designation "without structure". The indication "waters" refers to the North and Baltic Seas as well as to Lake Constance.

Administrative units whose territory also extends over the North Sea or the Baltic Sea or Lake Constance are separated along the coast. A distinction between the two parts of the administrative units concerned is possible with the attribute GF (Geofactor). The partial area on the mentioned waters has the GF value 2. On the other hand, the land areas have the GF value 4.

For the exclusive representation without the areas on the North Sea, Baltic Sea or Lake Constance filter on GF = 4. The coastal form is thus retained.

Basically:

Each administrative unit has precisely one record entry with the GF value 4. In addition, an administrative unit may have a record entry with the GF value of 2.

BSG Particular areas

Survey of values

- 1 = Germany
- 9 = Lake Constance (Bodensee)

ARS Territorial Code (TC)

This key is the statistical key. It is structured hierarchically and reflects the different administrative levels as existing in the Federal Republic of Germany.

The territorial code (ARS) is broken down as follows:

1st - 2st digit = identification number of the Land

3rd digit = identification number of the administrative district

 $4^{th} - 5^{th}$ digit = identification number of the district (county)

6th - 9th digit = identification number of the administrative association

10th - 12th digit = community identification number

The ARS is also used to link to the other information tables.

AGS Official municipality key

The key is structured hierarchically and is derived from the ARS shortened by the key number of the administrative association.

The AGS is broken down as follows:

1st - 2st digit = identification number of the Land

3rd digit = identification number of the administrative district

 $4^{th} - 5^{th}$ digit = identification number of the district (county)

6th - 8th digit = community identification number

SDV_ARS Seat of the administration (territorial code)

ARS of the municipality representing the seat of the municipality (for ADE 6 identical with ARS)

GEN Geographical name

BEZ Designation of the administrative unit

(see also IBZ).

IBZ Identificator

The identificator is a product-specific identification number for the BEZ attribute.

BEM Note

The note constitutes a differential description for the BEZ attribute.

NBD Generation of names

Survey of values

ja = designation is part of the name nein = designation is not part of the name

The attribute indicates whether the BEZ attribute should be used for the full name formation.

| IBZ | BEZ | GEN | NBD | full name | not |
|-----|-----------|----------------------|------|----------------------|----------------------------|
| 42 | Kreis | Oberbergischer Kreis | nein | Oberbergischer Kreis | Kreis Oberbergischer Kreis |
| 43 | Landkreis | Salzlandkreis | nein | Salzlandkreis | Landkreis Salzlandkreis |
| 42 | Kreis | Dithmarschen | ja | Kreis Dithmarschen | |
| 43 | Landkreis | Prignitz | ja | Landkreis Prignitz | |

NUTS European statistics key

for further details, see Annex E

Prepared NUTS regions are found in the NUTS250 product.

(see www.geodatenzentrum.de \rightarrow Open Data \rightarrow Administrative areas (VG) or Verwaltungsgebiete).

ARS 0 filled territorial code

basically 12-digit ARS (filled in with zeros on the right side)

AGS_0 filled Official Municipality Key

basically 8-digit AGS (filled in with zeros on the right side)

WSK Effectiveness

The attribute describes the legally relevant date for the effectiveness of the change. This date is not communicated by all sources, so that there is no entitlement to completeness.

Further attributes include structural key number fractions of the keys ARS and AGS:

 $SN_L = Land (state)$

SN_R = administrative district

SN K = district

SN_V1 = administrative association – front part SN_V2 = administrative association – rear part

SN_G = municipality

FK_S3 Function of the 3rd key digit

R = administrative district

K = district

In the case of Länder (states) with administrative districts the attribute is assigned the value R. Länder without an administrative district or 3-digit district key are also assigned the value R, and the 3rd key digit the value 0, respectively. In the case of the Länder with a 3-digit district key number the third key digit only serves to unambiguously mark the Kreis (district) level, and the attribute is assigned the value K. In these Länder there exist no longer any administrative districts.

DLM ID DLM object identifier

By means of this key the administrative units can be linked with the data stock of the DLM250 (Digital Landscape Model 250).

In addition, the product VG250-EW comprises:

EWZ Population

The population numbers of the Statistisches Bundesamt (www.destatis.de) (Federal Statistical Office) with the status of 31st December of the year in question.

KFL Cadastral area in km²

Specification of the cadastral areas in km² from the area statistics of the Statistisches Bundesamt (www.destatis.de) with the status of 31st December of the year in question.

By accumulation rounded values slight inaccuracies are possible.

The annually updated administrative areas are published contemporaneously in the product VG250 (without population and without cadastral areas) with the topicality statuses 31st December and 1st January. Upon receipt of the population numbers and the cadastral areas from the Statistisches Bundesamt the dataset is provided as the product VG250-EW (including population and cadastral areas) with the status of topicality 31st December of the respective year.

3.2.4 Points

ARS, AGS, GEN, BEZ, IBZ, BEM and NBD

These attributes correspond to the same attributes of the areas (see **item 3.2.3**).

OTL Location

Name of the location of the point. The location of the points and the name are taken from the spatial location feature type of the DLM250 (Digital Landscape Model 250).

The following 4 attributes represent the geographical coordinates of the points in the WGS84 datum.

LON_DEZ Geographic Longitude in Decimal Degrees
LAT_DEZ Geographic Latitude in Decimal Degrees
LON_GMS Geographic Longitude in Degrees, Minutes and Seconds

LAT_GMS Geographic Latitude in Degrees, Minutes and Seconds

The indication of the seconds is as an integer.

DLM_ID DLM object identifier

By means of this key the built-up site-points (Ortslagen) can be linked with the data stock of the DLM250 (Digital Landscape Model 250).

3.2.5 Tables

In addition to the attributes of the areas (see **item 3.2.3**), further information tables contain further attributes. The tables are linked to the respective geometry via the ARS attribute.

RGS Regional Language

Regional language contains the names of the administrative units in a regional language or in the languages of the national minorities.

The respective language is listed under SPR.

SPR Language

Survey of values

dan = Danish

dsb = Lower Sorbian frr = Northern Frisian hsb = Upper Sorbian nds = Low German stq = Saterland Frisian

The language refers to RGS (Regional Language) and indicates the language used.

RGS_OTL Regional Language Location

Regional language location contains the names of the locations in the points of the municipality in a regional language or in the languages of the national minorities. The respective language is under SPR_OTL.

SPR_OTL Language Location

Survey of values

dan = Danish

dsb = Lower Sorbian
frr = Northern Frisian
hsb = Upper Sorbian
nds = Low German
stq = Saterland Frisian

The language location refers to RGS_OTL (Regional Language Location) in the points of the municipalities and indicates the language used.

AZB Official Additional Designation

LGS Length of the key ARS

Number of the digits counted from the left of the territorial code (ARS) not filled with zeros to 12 digits, which identifies the units.

3.2.6 Table Administrative assignment (VGTB_VZ_GEM)

The Administrative assignment includes the "Gemeinden" (municipalities) of the Federal Republic of Germany with the superior administrative units and the corresponding NUTS regions.

This table can be linked to the geometry of the municipalities with the attribute ARS_G. The connection is made on the municipality geometry side via the attribute ARS.

The attributes ARS_..., AGS_..., GEN_..., BEZ_... and IBZ_... described below, are distinguished by appending the identifiers G, V, K, R and L instead of So, the administrative level is marked by the identifier. AGS is contained only with the identifier G. As regards the other identifiers, the AGS (OMK) is identical with the respective ARS (TC).

The underlying attributes ARS, AGS, GEN, BEZ, IBZ correspond to the attributes of the areas of the same name (see **item 3.2.3**).

Survey of identifiers of the administrative level

G = Gemeinde (municipality)

V = Verwaltungsgemeinschaft (administrative association)

K = Kreis (district)

R = Regierungsbezirk (administrative district)

L = Land (federal state)

The following attributes Attribute NUTS..._Code and NUTS..._Name are distinguished with the identifiers 3, 2 and 1 instead of So, the respective level of the NUTS region (NUTS level) is marked.

Survey of the identification of the NUTS level

3 = NUTS 3

2 = NUTS 2

1 = NUTS 1

NUTS... CODE Hierarchical key of the NUTS region

3-digit NUTS 1 4-digit NUTS 2

5-digit NUTS 3

NUTS... NAME Name of the NUTS region

The NUTS code (Nomenclature des unités territoriales statistiques) represents the "European classification of territorial units for statistics" of the Statistical Office of the European Union (EUROSTAT) according to the Regulation (EC) No 1059 / 2003 (of the European Parliament and of the Council) of 26th May 2003 in its latest version.

See also the separate data set NUTS regions NUTS250.

4 Description of the data formats

4.1 SHAPE format

The SHAPE data format constitutes as a de facto industry standard a very widespread and suitable data exchange format for the exchange of geodata.

Each dataset consists of the following files in UTF-8 character coding (Unicode).

4.1.1 Overview of the SHAPE data

| area level Staat (country) | VG250_STA.SHP |
|--|------------------|
| area level Land (federal state) | VG250_LAN.SHP |
| area level Regierungsbezirk (administrative district) | VG250_RBZ.SHP |
| area level Kreis (district) | VG250_KRS.SHP |
| area level Verwaltungsgemeinschaft (Administrative associations) | VG250_VWG.SHP |
| area level Gemeinde (Municipality) | VG250_GEM.SHP |
| boundary lines | VG250_LI.SHP |
| points of municipalities | VG250_PK.SHP |
| table regional language names (also minorities) (administrative units) | VGTB_RGS_VG.DBF |
| table regional language names (also minorities) (points) | VGTB_RGS_OTL.DBF |
| table official additional designations | VGTB_AZB_VG.DBF |
| table overview of the administrative units | VGTB_ATT_VG.DBF |
| table administrative assignment | VGTB_VZ_GEM.DBF |

Tables with a simple overview of the data model with the attributes and the values:

table attributes and their meaning VG_DATEN.DBF

table designations of the administrative units and IBZ VG_IBZ.DBF

table values of the attributes and their meaning VG WERTE.DBF

4.1.1 File structure of the SHAPE format

The shape files have the following file structure:

*.SHP Geometry

*.SHX Geometry index

*.PRJ Projection

*.DBF Attributes

*.CPG Character set

The pure tables consist only of the DBF and CPG files.

4.2 Geopackage format

The Geopackage Data Format (GPKG) is an open source format from the Open Geospatial Consortium (OGC) for storing, managing and exchanging geospatial data. The GeoPackage is based on an SQLite database.

The GPKG databases provided are based on the profile for the geopackage of the AdV (Working Committee of the Surveying Authorities of the Laender of the Federal Republic of Germany).

4.2.1 Geopackage data overview

The data correspond to those of the Shape format.

vg250_sta area level Staat (country)

vg250_lan area level Land (federal state)

vg250_rbz area level Regierungsbezirk (administrative district)

vg250_krs area level Kreis (district)

vg250_vwg area level Verwaltungsgemeinschaft (Administrative associations)

vg250_gem area level Gemeinde (Municipality)

vg250_li boundary lines

vg250_pk points of municipalities

vgtb_rgs_vg table regional language names (also minorities)

(administrative units)

vgtb_rgs_otl table regional language names (also minorities) (points)

vgtb_azb_vg table official additional designations

vgtb_vz_gem table administrative assignment

Note: The overview of the administrative units is only contained in the

geopackage as view v_vgtb_att_vg.

Tables with a simple overview of the data model with the attributes and the values:

vg_daten table attributes and their meaning

vg_ibz table designations of the administrative units and IBZ

vg_werte table values of the attributes and their meaning

4.2.2 Overview of the views in the geopackage

The views are a special view of the data with integrated value tables for itemized value information and resolved attribute labels.

| v_vg250_gem | View to the Gemeinde (Municipality) |
|----------------|--|
| v_vg250_vwg | View to the Verwaltungsgemeinschaft (Administrative associations) |
| v_vg250_krs | View to the Kreis (district) |
| v_vg250_rbz | View to the Regierungsbezirk (administrative district) |
| v_vg250_lan | View to the Land (federal state) |
| v_vg250_sta | View to the Staat (country) |
| v_vg250_f | View of the base areas (lowest level in each case) |
| v_vz250_gem | View area of Gemeinde (Municipality) with administrative assignment |
| v_vg250_li | View to the boundary lines |
| v_vg250_pk | View to the points of municipalities |
| v_vgtb_att_vg | View overview of the administrative units |
| v_vgtb_rgs_vg | View to the regional language names (also minorities) (administrative units) |
| v_vgtb_rgs_otl | View to the regional language names (also minorities) (points) |
| v_vgtb_azb_vg | View to the official additional designations |
| v_vg_ibz | View overview of designations of the administrative units (IBZ) |
| v_vg_sn_zahl | View key ARS/AGS as number |

Note:

With the view v_vg_sn_zahl, the ARS/AGS keys formatted as text are also output as numbers. The SQL function Cast used for this purpose is not supported by all GIS programs.

In the view v_vg250_sta, the SQL function Case is used for the value resolution of the attribute FK_S3. This is not supported by all GIS systems. In this case, FK_S3 is not broken down into the long form under the name Funk_Schlüsselstelle3. At the State level, this attribute has no meaning.

The various views v_werte_xxx and v_at_vg only serve as a basis for the other views.

4.3 Excel format

For a quick overview, the attributive information is provided in Excel xlsx format. The xlsx data format is an XML-based file format that can be opened from Excel version 2007 and newer.

4.3.1 Excel workbook overview

The <code>verwaltungsgebiete.xlsx</code> file is structured as a scaleless attribute and information table collection and contains the following sheets:

| Deckblatt | contents |
|--------------|--|
| VGTB_ATT_VG | overview of the administrative units |
| VGTB_VZ_GEM | administrative assignment of the Gemeinden (municipalities) |
| VG250_PK | information and coordinates of points of municipalities |
| VGTB_AZB_VG | official additional designations |
| VGTB_RGS_VG | regional language names (also minorities) (administrative units) |
| VGTB_RGS_OTL | regional language names (also minorities) (points) |
| VG_DATEN | overview of attributes and their meaning |
| VG_IBZ | overview of designations of the administrative units and IBZ |
| VG_WERTE | overview of values of the attributes and their meaning |

5 Annexes

Further information can be found in the above-mentioned enclosed appendix for documentation, which can be found in the attached file annex vg.pdf.

There is also a country-by-country representation of the complex administrative structure in the file <code>verwaltungsgliederung_vg.pdf</code> (administrative structure). At the end of the file there is also a brief overview of the data model of the VG data.

They can be found on our homepage $\underline{www.bkg.bund.de}$ under the heading "Products & Services" \rightarrow "Digitale Geodaten".

Administrative Areas 1: 250 000

VG250 and VG250-EW

6 Data acquisition

The database can be obtained free of charge on our website www.bkg.bund.de under the heading "Products and Services" → "Open Data". Historical data is also available in our archive.

7 Terms of use

The data are protected by copyright. The data are made available free of charge in accordance with the "<u>Datenlizenz Deutschland Namensnennung 2.0</u>". The use of the dataset for the maintenance and expansion of the data of the OpenStreetMap project is expressly permitted in compliance with the naming information described in the supplementary text. The source note must be observed.

<u>Ergänzung der "Datenlizenz Deutschland – Namensnennung – Version 2.0" für die Nutzung von Daten der Behörden durch das OpenStreetMap Projekt (PDF, 135 KB)</u>

8 Copyright

The licensee is obliged to attach a clearly visible source note to any public reproduction, distribution or presentation of the data as well as the following change notice to any publication or external use of an adaptation or transformation. When displayed on a website, "BKG" shall be linked to the URL "https://www.bkg.bund.de" and "dl-en/by-2-0" to the URL "https://www.govdata.de/dl-de/by-2-0".

© BKG (year of last data acquisition") dl-de/by-2-0

Data sources:

https://sgx.geodatenzentrum.de/web_public/gdz/datenguellen/datenguellen vg_nuts.pdf

9 Contact

Federal Agency for Cartography and Geodesy Section GDL2 | Service centre (DLZ) | Central Office for Geotopography (ZSGT) Karl-Rothe-Straße 10-14 D-04105 Leipzig

Phone: +49(0)341 5634-333 Fax: +49(0)341 5634-415 E-Mail: <u>dlz@bkg.bund.de</u>

Further information and services can be found on our homepage www.bkg.bund.de under the heading "Products & Services".

Administrative Areas 1: 250 000

VG250 and VG250-EW